FEBS Letters 342 (1994) 344–346

Contents to volume 342

Minireview

Rapid validation of molecular structures of biological samples by electrospray-mass spectrometry (FEBS 13800) *D.S. Ashton, C.R. Beddell, B.N. Green, R.W.A. Oliver* 1

Hypothesis

Two hypotheses – one answer: Sequence comparison does not support an evolutionary link between halobacterial retinal proteins including bacteriorhodopsin and eukaryotic G-protein-coupled receptors (FEBS 13825) *J. Soppa* 7

Research Letters

Three-dimensional crystal structure of recombinant erabutoxin a at 2.0 Å resolution (FEBS 13819) *B. Arnoux, R. Ménez, P. Drevet, J.-C. Boulain, A. Ducruix, A. Ménez* 12

Fcγ receptor II stimulated formation of inositol phosphates in human platelets is blocked by tyrosine kinase inhibitors and associated with tyrosine phosphorylation of the receptor (FEBS 13806) *R.A. Blake, J. Asselin, T. Walker, S.P. Watson* 15

Expression of α-1,3 linkage-containing oligomannosyl residues in a cell-wall mannan of *Candida tropicalis* grown in yeast extract–Sabouraud liquid medium under acidic conditions (FEBS 13808) *H. Kobayashi, N. Shibata, A. Suzuki, S.-i. Takahashi, M. Suzuki, K. Matsuda, K. Hisamichi, S. Suzuki* 19

Binding site-shaped repeated sequences of bacterial wall peptidoglycan hydrolases (FEBS 13820) *J.-M. Ghuysen, J. Lamotte-Brasseur, B. Joris, G.D. Shockman* 23

Dual pertussis toxin-sensitive pathway of zymosan-induced activation in guinea pig macrophages: An anti-CR3 antibody-inhibitable stimulation of phagocytosis and -resistant stimulation of O_2^- production and arachidonate release (FEBS 13828) *K. Hazeki, K. Tamoto, M. Ui, Y. Mori* 29

Mutation of serine-516 in human prostaglandin G/H synthase-2 to methionine or aspirin acetylation of this residue stimulates 15-*R*-HETE synthesis (FEBS 13821) *J.A. Mancini, G.P. O'Neill, C. Bayly, P.J. Vickers* 33

Tyrosine-194 of glycogenin undergoes autocatalytic glucosylation but is not essential for catalytic function and activity (FEBS 13831) *M.D. Alonso, J. Lomako, W.M. Lomako, W.J. Whelan* 38

In vitro binding of the two-finger repressor CreA to several consensus and non-consensus sites at the *ipnA* upstream region is context dependent (FEBS 13832) *E.A. Espeso, M.A. Peñalva* 43

Peroxynitrite releases copper from caeruloplasmin: implications for atherosclerosis (FEBS 13834) *J.A. Swain, V. Darley-Usmar, J.M.C. Gutteridge* 49

Purification and characterization of a ubenimex (Bestatin)-sensitive aminopeptidase B-like enzyme from K562 human chronic myeloid leukemia cells (FEBS 13810) *M. Yamada, Y. Sukenaga, H. Fujii, F. Abe, T. Takeuchi* 53

Alteration of the specificity of ecotin, an *E. coli* serine proteinase inhibitor, by site directed mutagenesis (FEBS 13811) *G. Pál, G. Sprengel, A. Patthy, L. Gráf* 57

The primary structure of two chlorosome proteins from *Chloroflexus aurantiacus* (FEBS 13845) *G. Niedermeier, J.A. Shiozawa, F. Lottspeich, R.G. Feick* 61

Localization of an arginine-specific mono-ADP-ribosyltransferase in skeletal muscle sarcolemma and transverse tubules (FEBS 13824) *B.M. Klebl, S. Matsushita, D. Pette* 66

Regulatory sequences required for *hst-1* expression in embryonal carcinoma cells (FEBS 13839) *T. Koda, S. Hasan, A. Sasaki, Y. Arimura, M. Kakinuma* 71

Expression of protein kinase C isoforms in smooth muscle cells in various states of differentiation (FEBS 13850) *J.W. Assender, E. Kontny, B.B. Fredholm* 76

Mutation of a putative ADP-ribosylation motif in the *Pasteurella multocida* toxin does not affect mitogenic activity (FEBS 13843) *P.N. Ward, T.E. Higgins, A.C. Murphy, P.B. Mullan, E. Rozengurt, A.J. Lax* 81

Cloning and functional characterization of the human 5-HT_{2B} serotonin receptor (FEBS 13853) *K. Schmuck, C. Ullmer, P. Engels, H. Lübbert* 85

Lactosylceramide is synthesized in the lumen of the Golgi apparatus (FEBS 13849) *H. Lannert, C. Bünning, D. Jeckel, F.T. Wieland* 91

Cloning and expression of the vesamicol binding protein from the marine ray *Torpedo*: Homology with the putative vesicular acetylcholine transporter UNC-17 from *Caenorhabditis elegans* (FEBS 13829) *H. Varoqui, M.-F. Diebler, F.-M. Meunier, J.B. Rand, T.B. Usdin, T.I. Bonner, L.E. Eiden, J.D. Erickson* 97

Retraction

Retraction concerning an endothelin B receptor-selective antagonist: Urade, Y., Fujitani, Y., Oda, K., Watakabe, T., Umemura, I., Takai, M., Okada, T., Sakata, K. and Karaki, H. (1992) FEBS Lett. 311, 12–16.: An endothelin B receptor-selective antagonist: IRL 1038, [Cys^{11}-Cys^{15}]-endothelin-1(11–21) (FEBS 13830) *Y. Urade, Y. Fujitani, K. Oda, T. Watakabe, I. Umemura, M. Takai, T. Okada, K. Sakata, H. Karaki* 103

Research Letters

Synthetic melanin and ferric ions promote superoxide anion-mediated lipid peroxidation (FEBS 13833) *A. Sotomatsu, M. Tanaka, S. Hirai* 105

A comparison of demethoxyviridin and wortmannin as inhibitors of phosphatidylinositol 3-kinase (FEBS 13835) *R. Woscholski, T. Kodaki, M. McKinnon, M.D. Waterfield, P.J. Parker* 109

Differential response of NF-κB1 p105 and NF-κB2 p100 to HTLV-I encoded Tax (FEBS 13838) *M. Watanabe, M.-a. Muramatsu, A. Tsuboi, K.-i. Arai* 115

Regulation of the cloned L-type cardiac calcium channel by cyclic-AMP-dependent protein kinase (FEBS 13844) *E. Perez-Reyes, W. Yuan, X. Wei, D.M. Bers* 119

Molecular cloning of rat JAK3, a novel member of the JAK family of protein tyrosine kinases (FEBS 13847) *T. Takahashi, T. Shirasawa* 124

Restoration of normal ultrastructure after expression of the α1 subunit of the L-type Ca^{2+} channel in dysgenic myotubes (FEBS 13840) *S. Seigneurin-Venin, M. Song, M. Pinçon-Raymond, F. Rieger, L. Garcia* 129

W-7, a calmodulin antagonist, primes the stimulation of human neutrophil respiratory burst by formyl peptides and platelet-activating factor (FEBS 13841) *A. Périanin, E. Pedruzzi, J. Hakim* 135

Purification and characterisation of dRP-A: a single-stranded DNA binding protein from *Drosophila melanogaster* (FEBS 13842) *R.F. Marton, P. Thömmes, S. Cotterill* 139

FEBS Letters 342 (1994) 344–346

Contents to volume 342

Minireview

Rapid validation of molecular structures of biological samples by electrospray-mass spectrometry (FEBS 13800) *D.S. Ashton, C.R. Beddell, B.N. Green, R.W.A. Oliver* 1

Hypothesis

Two hypotheses – one answer: Sequence comparison does not support an evolutionary link between halobacterial retinal proteins including bacteriorhodopsin and eukaryotic G-protein-coupled receptors (FEBS 13825) *J. Soppa* 7

Research Letters

Three-dimensional crystal structure of recombinant erabutoxin a at 2.0 Å resolution (FEBS 13819) *B. Arnoux, R. Ménez, P. Drevet, J.-C. Boulain, A. Ducruix, A. Ménez* 12

Fcγ receptor II stimulated formation of inositol phosphates in human platelets is blocked by tyrosine kinase inhibitors and associated with tyrosine phosphorylation of the receptor (FEBS 13806) *R.A. Blake, J. Asselin, T. Walker, S.P. Watson* 15

Expression of α-1,3 linkage-containing oligomannosyl residues in a cell-wall mannan of *Candida tropicalis* grown in yeast extract–Sabouraud liquid medium under acidic conditions (FEBS 13808) *H. Kobayashi, N. Shibata, A. Suzuki, S.-i. Takahashi, M. Suzuki, K. Matsuda, K. Hisamichi, S. Suzuki* 19

Binding site-shaped repeated sequences of bacterial wall peptidoglycan hydrolases (FEBS 13820) *J.-M. Ghuysen, J. Lamotte-Brasseur, B. Joris, G.D. Shockman* 23

Dual pertussis toxin-sensitive pathway of zymosan-induced activation in guinea pig macrophages: An anti-CR3 antibody-inhibitable stimulation of phagocytosis and -resistant stimulation of O_2^- production and arachidonate release (FEBS 13828) *K. Hazeki, K. Tamoto, M. Ui, Y. Mori* 29

Mutation of serine-516 in human prostaglandin G/H synthase-2 to methionine or aspirin acetylation of this residue stimulates 15-*R*-HETE synthesis (FEBS 13821) *J.A. Mancini, G.P. O'Neill, C. Bayly, P.J. Vickers* 33

Tyrosine-194 of glycogenin undergoes autocatalytic glucosylation but is not essential for catalytic function and activity (FEBS 13831) *M.D. Alonso, J. Lomako, W.M. Lomako, W.J. Whelan* 38

In vitro binding of the two-finger repressor CreA to several consensus and non-consensus sites at the *ipnA* upstream region is context dependent (FEBS 13832) *E.A. Espeso, M.A. Peñalva* 43

Peroxynitrite releases copper from caeruloplasmin: implications for atherosclerosis (FEBS 13834) *J.A. Swain, V. Darley-Usmar, J.M.C. Gutteridge* 49

Purification and characterization of a ubenimex (Bestatin)-sensitive aminopeptidase B-like enzyme from K562 human chronic myeloid leukemia cells (FEBS 13810) *M. Yamada, Y. Sukenaga, H. Fujii, F. Abe, T. Takeuchi* 53

Alteration of the specificity of ecotin, an *E. coli* serine proteinase inhibitor, by site directed mutagenesis (FEBS 13811) *G. Pál, G. Sprengel, A. Patthy, L. Gráf* 57

The primary structure of two chlorosome proteins from *Chloroflexus aurantiacus* (FEBS 13845) *G. Niedermeier, J.A. Shiozawa, F. Lottspeich, R.G. Feick* 61

Localization of an arginine-specific mono-ADP-ribosyltransferase in skeletal muscle sarcolemma and transverse tubules (FEBS 13824) *B.M. Klebl, S. Matsushita, D. Pette* 66

Regulatory sequences required for *hst-1* expression in embryonal carcinoma cells (FEBS 13839) *T. Koda, S. Hasan, A. Sasaki, Y. Arimura, M. Kakinuma* 71

Expression of protein kinase C isoforms in smooth muscle cells in various states of differentiation (FEBS 13850) *J.W. Assender, E. Kontny, B.B. Fredholm* 76

Mutation of a putative ADP-ribosylation motif in the *Pasteurella multocida* toxin does not affect mitogenic activity (FEBS 13843) *P.N. Ward, T.E. Higgins, A.C. Murphy, P.B. Mullan, E. Rozengurt, A.J. Lax* 81

Cloning and functional characterization of the human 5-HT_{2B} serotonin receptor (FEBS 13853) *K. Schmuck, C. Ullmer, P. Engels, H. Lübbert* 85

Lactosylceramide is synthesized in the lumen of the Golgi apparatus (FEBS 13849) *H. Lannert, C. Bünning, D. Jeckel, F.T. Wieland* 91

Cloning and expression of the vesamicol binding protein from the marine ray *Torpedo*: Homology with the putative vesicular acetylcholine transporter UNC-17 from *Caenorhabditis elegans* (FEBS 13829) *H. Varoqui, M.-F. Diebler, F.-M. Meunier, J.B. Rand, T.B. Usdin, T.I. Bonner, L.E. Eiden, J.D. Erickson* 97

Retraction

Retraction concerning an endothelin B receptor-selective antagonist: Urade, Y., Fujitani, Y., Oda, K., Watakabe, T., Umemura, I., Takai, M., Okada, T., Sakata, K. and Karaki, H. (1992) FEBS Lett. 311, 12–16.: An endothelin B receptor-selective antagonist: IRL 1038, [Cys^{11}-Cys^{15}]-endothelin-1(11–21) (FEBS 13830) *Y. Urade, Y. Fujitani, K. Oda, T. Watakabe, I. Umemura, M. Takai, T. Okada, K. Sakata, H. Karaki* 103

Research Letters

Synthetic melanin and ferric ions promote superoxide anion-mediated lipid peroxidation (FEBS 13833) *A. Sotomatsu, M. Tanaka, S. Hirai* 105

A comparison of demethoxyviridin and wortmannin as inhibitors of phosphatidylinositol 3-kinase (FEBS 13835) *R. Woscholski, T. Kodaki, M. McKinnon, M.D. Waterfield, P.J. Parker* 109

Differential response of NF-κB1 p105 and NF-κB2 p100 to HTLV-I encoded Tax (FEBS 13838) *M. Watanabe, M.-a. Muramatsu, A. Tsuboi, K.-i. Arai* 115

Regulation of the cloned L-type cardiac calcium channel by cyclic-AMP-dependent protein kinase (FEBS 13844) *E. Perez-Reyes, W. Yuan, X. Wei, D.M. Bers* 119

Molecular cloning of rat JAK3, a novel member of the JAK family of protein tyrosine kinases (FEBS 13847) *T. Takahashi, T. Shirasawa* 124

Restoration of normal ultrastructure after expression of the α1 subunit of the L-type Ca^{2+} channel in dysgenic myotubes (FEBS 13840) *S. Seigneurin-Venin, M. Song, M. Pinçon-Raymond, F. Rieger, L. Garcia* 129

W-7, a calmodulin antagonist, primes the stimulation of human neutrophil respiratory burst by formyl peptides and platelet-activating factor (FEBS 13841) *A. Périanin, E. Pedruzzi, J. Hakim* 135

Purification and characterisation of dRP-A: a single-stranded DNA binding protein from *Drosophila melanogaster* (FEBS 13842) *R.F. Marton, P. Thömmes, S. Cotterill* 139

Changing root system architecture through inhibition of putrescine and feruloyl putrescine accumulation (FEBS 13848) *G. Ben-Hayyim, J.-P. Damon, J. Martin-Tanguy, D. Tepfer* 145

Phospholipase D activation in fibroblast membranes by the α and β isoforms of protein kinase C (FEBS 13851) *K.M. Conricode, J.L. Smith, D.J. Burns, J.H. Exton* 149

Crystal structure of momordin, a type I Ribosome Inactivating Protein from the seeds of *Momordica charantia* (FEBS 13803) *J. Husain, I.J. Tickle, S.P. Wood* 154

Evidence for Rap1 in vascular smooth muscle cells: Regulation of their expression by platelet-derived growth factor BB (FEBS 13852) *R. Quarck, M. Bryckaert, C. Magnier, E. Corvazier, R. Bredoux, J. de Gunzburg, M. Fontenay, G. Tobelem, J. Enouf* 159

The expression of PDGF-α but not PDGF-β receptors is suppressed in Swiss/3T3 fibroblasts over-expressing protein kinase C-α (FEBS 13857) *C. Fitzer-Attas, H. Eldar, L. Eisenbach, E. Livneh* 165

Oxidation of LDL by nitric oxide and its modification by superoxides in macrophage and cell-free systems (FEBS 13854) *J.-M. Wang, S.-N. Chow, J.-K. Lin* 171

Localization of phospholipid-binding sites of caldesmon (FEBS 13805) *N.V. Bogatcheva, P.A.J. Huber, I.D.C. Fraser, S.B. Marston, N.B. Gusev* 176

Biochemical, pharmacological and genomic characterisation of Ts IV, an α-toxin from the venom of the South American scorpion *Tityus serrulatus* (FEBS 13859) *M.F. Martin-Eauclaire, B. Céard, A.M. Ribeiro, C.R. Diniz, H. Rochat, P.E. Bougis* 181

Biochemical properties of attachment region binding protein ARBP (FEBS 13861) *J.P. von Kries, O. Rosorius, H. Buhrmester, W.H. Strätling* 185

Synthesis and characterization of sapecin and sapecin B (FEBS 13864) *J.I. Kim, H. Iwai, S. Kurata, M. Takahashi, K. Masuda, I. Shimada, S. Natori, Y. Arata, K. Sato* 189

Achievement of renaturation of subtilisin BPN′ by a novel procedure using organic salts and a digestible mutant of *Streptomyces* subtilisin inhibitor (FEBS 13865) *M. Matsubara, E. Kurimoto, S. Kojima, K.-i. Miura, T. Sakai* 193

The actin binding site in the tail domain of *Dictyostelium* myosin IC (myoC) resides within the glycine- and proline-rich sequence (tail homology region 2) (FEBS 13867) *G. Jung, J.A. Hammer III* 197

Identification of the 23 kDa subunit of tau protein kinase II as a putative activator of cdk5 in bovine brain (FEBS 13868) *K. Ishiguro, S. Kobayashi, A. Omori, M. Takamatsu, S. Yonekura, K. Anzai, K. Imahori, T. Uchida* 203

Cardiac L-type Ca^{2+} channel triggers transmitter release in PC12 cells (FEBS 13858) *B. Avidor, T. Avidor, L. Schwartz, K.S. De Jongh, D. Atlas* 209

An isoform of the human calcitonin receptor is expressed in TT cells and in medullary carcinoma of the thyroid (FEBS 13871) *J.L. Frendo, F. Pichaud, R.D. Mourroux, Z. Bouizar, N. Segond, M.S. Moukhtar, A. Jullienne* 214

Identification of axial ligands of cytochrome c_{552} from *Nitrosomonas europaea* (FEBS 13862) *D.M. Arciero, Q. Peng, J. Peterson, A.B. Hooper* 217

Purification, inhibitory properties, amino acid sequence and identification of the reactive site of a new serine proteinase inhibitor from oil-rape (*Brassica napus*) seed (FEBS 13872) *F. Ceciliani, F. Bortolotti, E. Menegatti, S. Ronchi, P. Ascenzi, S. Palmieri* 221

Expression of a bovine vesicular monoamine transporter in COS cells (FEBS 13855) *B. Gasnier, E. Krejci, D. Botton, J. Massoulié, J.-P. Henry* 225

The accessibility of peptides bound to the mouse MHC class II molecule IE^d studied by fluorescence (FEBS 13860) *A.I.P.M. de Kroon* 230

Cloning and expression of the bovine sodium- and chloride-dependent noradrenaline transporter (FEBS 13877) *B. Lingen, M. Brüss, H. Bönisch* 235

Precise expression of the cAMP receptor gene, *CAR1*, during transition from growth to differentiation in *Dictyostelium discoideum* (FEBS 13863) *F. Abe, Y. Maeda* 239

Structural similarities between chaperone molecules of the HSP60 and HSP70 families deduced from hydrophobic cluster analysis (FEBS 13882) *I. Callebaut, M.G. Catelli, D. Portetelle, A. Burny, E.E. Baulieu, J.P. Mornon* 242

Enhanced intracellular delivery of doxorubicin by scavenger receptor-mediated endocytosis for preferential killing of histiocytic lymphoma cells in culture (FEBS 13866) *S. Basu, B. Mukhopadhyay, S.K. Basu, A. Mukhopadhyay* 249

Expression of the catalytic domain of cyclic GMP-dependent protein kinase in a baculovirus system (FEBS 13878) *N.J. Boerth, T.M. Lincoln* 255

The intrinsic 22 kDa protein is a chlorophyll-binding subunit of photosystem II (FEBS 13879) *C. Funk, W.P. Schröder, B.R. Green, G. Renger, B. Andersson* 261

Transforming growth factor β mediates increase of mature transmembrane amyloid precursor protein in microglial cells (FEBS 13875) *U. Mönning, R. Sandbrink, R.B. Banati, C.L. Masters, K. Beyreuther* 267

Transcription factor GATA-1-multiprotein complexes and chicken erythroid development (FEBS 13876) *C.G. Penner, J.R. Davie* 273

Cloning of cDNA for granzyme-like protein III, a novel serine proteinase from rat duodenum (FEBS 13885) *V.G. Grigorenko, S.V. Yarovoi, R. Paulauskaite, A.Y. Amerik* 278

Gallinacins: cysteine-rich antimicrobial peptides of chicken leukocytes (FEBS 13886) *S.S.L. Harwig, K.M. Swiderek, V.N. Kokryakov, L. Tan, T.D. Lee, E.A. Panyutich, G.M. Aleshina, O.V. Shamova, R.I. Lehrer* 281

Serotonin release and cell proliferation are under the control of α-bungarotoxin-sensitive nicotinic receptors in small-cell lung carcinoma cell lines (FEBS 13887) *A. Codignola, P. Tarroni, M.G. Cattaneo, L.M. Vicentin, F. Clementi, E. Sher* 286

1 kb of the lactase–phlorizin hydrolase promoter directs post-weaning decline and small intestinal-specific expression in transgenic mice (FEBS 13836) *J.T. Troelsen, A. Mehlum, J. Olsen, N. Spodsberg, G.H. Hansen, H. Prydz, O. Norén, H. Sjöström* 291

Two intestinal specific nuclear factors binding to the lactase-phlorizin hydrolase and sucrase-isomaltase promoters are functionally related oligomeric molecules (FEBS 13837) *J.T. Troelsen, J. Olsen, C. Mitchelmore, G.H. Hansen, H. Sjöström, O. Norén* 297

Processing and transport of human small intestinal lactase-phlorizin hydrolase (LPH): Role of N-linked oligosaccharide modification (FEBS 13846) *H.Y. Naim* 302

The mechanisms and regulation of procathepsin L secretion from osteoclasts in bone resorption (FEBS 13869) *K. Tagami, H. Kakegawa, H. Kamioka, K. Sumitani, T. Kawata, B. Lenarčič, V. Turk, N. Katunuma* 308

Highly polarized expression of carbohydrate-binding protein p33/41 (annexin IV) on the apical plasma membrane of epithelial cells in renal proximal tubules (FEBS 13856) *K. Kojima, H. Utsumi, H. Ogawa, I. Matsumoto* 313

Structural differences in chlorosomes from *Chloroflexus aurantiacus* grown under different conditions support the BChl *c*-binding function of the 5.7 kDa polypeptide (FEBS 13890) *R.P. Lehmann, R.A. Brunisholz, H. Zuber* 319

HNF1α activates the aminopeptidase N promoter in intestinal (Caco-2) cells (FEBS 13891) *J. Olsen, L. Laustsen, J. Troelsen* 325
Molecular cloning of the *S*-adenosylmethionine synthetase gene in *Drosophila melanogaster* (FEBS 13873) *J. Larsson, Å. Rasmuson-Lestander* 329
Strong affinity of *Maackia amurensis* hemagglutinin (MAH) for sialic acid-containing Ser/Thr-linked carbohydrate chains of N-terminal octapeptides from human glycophorin A (FEBS 13892) *Y. Konami, K. Yamamoto, T. Osawa, T. Irimura* 334
Author index to volume 342 339
Contents to volume 342 344